



Universal Four Monitor Mount with Double-Link Swing Arms

Holds Four 13" to 32" LCD Monitors up to 8 kg (17 lbs.) Each, Black

Part No.: **461566**

EAN-13: 0766623461566 | UPC: 766623461566

Manage the desktop. Maximize productivity

LCD-monitor installation above the desk helps maximize the effectiveness of a potential workspace. The Manhattan Universal Four Monitor Mount with Double-Link Swing Arms improves organization on the desktop, making it easier to get work done on the computer.

Constructed from durable die-cast metal, this four monitor mount features a sturdy clamp that allows for quick, easy and secure mounting without the need to drill holes into desks or countertops. Its fully adjustable tilt, rotate, side-to-side, height and tension settings create the perfect position to comfortably increase productivity. Such adjustment capabilities can even help reduce eye fatigue or neck and back strain. In addition, the mount pole offers easy monitor rotation to allow others to view presentations and multimedia productions from almost any direction.

Features:

- Meets VESA standards — securely holds four LCD monitors from 13" to 32"

For more information on Manhattan products, consult your local dealer or visit www.manhattan-products.com.

All names of products or services mentioned herein are trademarks or registered trademarks of their respective owners. Distribution and reproduction of this document, and use and disclosure of the contents herein, are prohibited unless specifically authorized.

- Positions monitors above the desktop to increase work space, improve visibility and minimize clutter
- Double-link swing arms with separate $\pm 45^\circ$ tilt, $\pm 180^\circ$ rotation and height adjustments
- Steel pole with heavy-duty clamp mount
- Removeable VESA plates, making monitor attachment faster and easier
- Easy adjustment of monitor position
- Ideal for office, studio, IT network and security applications
- Installs easily to any desktop or other surface — no drilling required
- Lifetime Warranty

Specifications:

General

- Fits 75 x 75 mm / 100 x 100 mm VESA-compliant monitors
- Monitor weight capacity: up to 8 kg (17 lbs.) each
- Surface thickness for clamp installation: 10 to 88 mm (0.4 to 3.5 in.)
- Surface thickness for grommet installation: 10 to 75 mm (0.4 to 3 in.)

Dimensions

- Height (pole): 883 mm (34.8 in.)
- Arm length (radius): 399 mm (15.7 in.)
- Arm width (extended): 798 mm (31.4 in.)

Package Contents

- Universal Four Monitor Mount with Double-Link Swing Arms
- Cable management clips and trim caps
- C-clamp with thumb screws
- Monitor mounting and assembly screws
- Installation hardware with instructions and hex tool



